

SWAB/SOLVENT COMPATIBILITY CHART

SOLVENT	HEAD SUBSTRATE	
	FOAM	POLYESTER
ACETIC ACID	U	U
ACETONE	S, D	U
ACETONITRILE	U	U
AMMONIA, ANHYDROUS	U	U
ANILINE	S	U
BENZENE	S	U
CARBON TETRACHLORIDE	S	U
CHLOROFORM	S	U
CHLOROPHENOL	D	D
CHROMIC ACID	D	D
CYCLOHEXANE	S	U
DIMETHYLFORMAMIDE	D	S
DIMETHYLSULFOXIDE	D	S
ETHYL ACETATE	S	U
ETHYL ALCOHOL	U	U
ETHYL CHLORIDE	S	U
FORMIC ACID	D	U
HEXANE	U	U

SOLVENT	HEAD SUBSTRATE	
	FOAM	POLYESTER
HYDROCHLORIC ACID 48%	D	D
HYDROGEN PEROXIDE	D	U
ISOPROPYL ALCOHOL	U	U
METHANOL	S	U
METHYL ETHYL KETONE	S	U
METHYLENE CHLORIDE	S	U
NITRIC ACID 100%	D	D
NITROBENZENE	S	U
PERCHLOROETHYLENE	U	U
PHOSPHORIC ACID 85%	D	U
SODIUM HYDROXIDE 36%	S	U
SULFURIC ACID 98%	D	D
TOLUENE	S	U
TRICHLOROETHYLENE	S	U
VINYL ACETATE	S	U
WATER	U	U
XYLENE	S	U

NOTE:

U = UNAFFECTED, S = SWELLS, D = DEGRADES

