

Product Information ISO Class 5-8 Cleanroom Class 100 - 100,000 EU Grade B/C/D

Choice[®] Nonwoven 500

60% Cellulose / 40% Polyester Nonwoven Cleanroom Wiper

It's Choice[®]. The value tiered category of wipers offering all the performance consistency of higher priced wipers. Best of all, Choice® is from Berkshire, the most trusted name in contamination control products. Which means

quality you can count on. What's more, Choice[®] is backed by cellulose and 40% polyester. This combination provides the Berkshire Guarantee - your money back if our wiper fails to Choice® NW 500 with a level of absorbency, abrasion perform according to specifications. Choice® NW 500 is com- resistance and chemical compatibility required for conposed of a hydroentangled nonwoven blend of 60%

trolled environments.

		A DAY
限性化的结构	UN A BANK	
		Mr. F.
		1101
		0.434
ATTACK AND		
的国际管理		
A BURN		
		BELT AND A BAR

Other Choice products:

- Choice® 700
- Choice® 800
- Choice® 900
- Choice[®] Edge
- Choice[®] SuperSorb
- Choice® 600

Key Attributes

- 60% cellulose / 40% polyester hydroentangled nonwoven blend
- No binders or other chemical additives

Benefits

- Excellent combination of the synthetic polyester strength and cleanliness with the absorbent characteristics of cellulose
- Smooth, highly absorbent and durable
- Low extractable levels and particle counts
- Chemically compatible with common cleaning and disinfecting solutions
- Autoclavable
- Economical

Applications

- Designed for use in ISO Class 5 and higher cleanroom environments
- General equipment wrap and wipe downs
- General purpose wiping applications
- Cleaning of lab equipment
- General wiping in component prep, compounding and wash areas
- Applying and removing cleaning and disinfecting solutions

www.berkshire.com	Americas	Tel 1 413 528 2602	Fax 1 413 528 2614	info@berkshire.com
Contact: Tel 1 800 242 7000 / 1 413 528 2602 in- fo@berkshire.com	Europe	Tel 44 (0) 870 757 28	77 Fax 44 (0) 870 757 2878	enquiries@berkshire.uk.com
	SE Asia	Tel 65 6252 4313	Fax 65 6252 4312 enquirie	s@berkshire.com.sg
	Japan	Tel 81 3 5827 2380	Fax 81 3 5827 2382	master@berkshire.co.jp



Technical Data

Attribute		Units	Value	Test Method	
Basis Weight		a/m ²	51.5	TAPPI T-410	
Caliper		um	225		
Fibers	<u>></u> 100µm	fibers/cm ²	45	IEST-RP-CC004.3, Sec 6.1.4 / Sec 6.2.2	
Particles	<u>></u> 0.5µm	x10 ³ /cm ²	5.8	IEST-RP-CC004.3, Sec 6.1.4/ Sec 6.2.1	
Sorbency	Capacity	mL/m ²	255	IEST-RP-CC004.3, Sec 8.1 modified / Sec 8.2 mo	
	Efficiency	mL/a	5.0	fied	
	Rate	seconds	2		
Non-Volatile Residue	DI Water	a/m ²	0.010	IEST-RP-CC0043, Sec 7.1.2	
	IPA	a/m ²	0.0020		
Ions	Na ⁺	ppm	65	IEST-RP-CC0043, Sec 7.2.2	
	K ⁺	ppm	15		
	Ca ⁺⁺	ppm	5.0		
	Mg ⁺⁺	ppm	1.0		
	Cl	maa	40		

Notes:

- Technical data represented in this table are typical values at the time of publication. These should not be used as product specifications.
- Due to differences in test methods applied and equipment utilized by different wiper manufacturers, valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions
- Third party testing can be performed upon request

Order Information:

Product	Number	Size	Shts/pk	Pks/cs	Style
Choice [®] NW500	CHNW50920	9x9" (23x23cm)	400	20	Stacked
Choice [®] NW500	CHNW51220	12x12" (30x30cm)	200	20	Stacked



www.berkshire.com Contact: Tel 1 800 242 7000 / 1 413 528 2602 / info@berkshire.com